

The information in this label chart is no substitute for professional knowledge or judgement and users should exercise their own skill and care with respect to its use. Users are encouraged to consult with other sources, such as the Australian Pharmaceutical Formulary and Handbook and the manufacturer's product information to ensure the information provided in this catalogue chart is suitable for their purpose.

## CAUTIONARY & ADVISORY LABELS

<b>WARN 1</b> 1000 per box This medicine may cause <b>DROWSINESS</b> and may increase the effects of alcohol. If affected, do not drive a motor vehicle or operate machinery.	<b>WARN 1a</b> 1000 per box This preparation is to aid sleep. <b>Drowsiness may continue the following day.</b> If affected, do not drive or operate machinery. Avoid alcohol.	<b>WARN 2</b> 1000 per box <b>DO NOT TAKE ALCOHOL</b> while being treated with this medicine.	<b>WARN 3a</b> 1000 per box Take on an <b>empty stomach</b> at least half an hour before meals and at bedtime.	<b>WARN 3b</b> 1000 per box Take on an <b>empty stomach</b> at least half an hour before food or two hours after food.	<b>WARN 4a</b> 1000 per box Do not take dairy products, antacids or mineral supplements within two hours of each dose of this medicine.
<b>WARN 4b</b> 1000 per box Ask your doctor or pharmacist before taking medicines for heartburn, reflux or indigestion.	<b>WARN 5</b> 1000 per box Ask your doctor or pharmacist before using any other medicine including over-the-counter medicines or health products.	<b>WARN 6</b> 1000 per box <b>REFRIGERATE</b> Do not freeze	<b>WARN 7a</b> 1000 per box Discard contents after / /	<b>WARN 7b</b> 1000 per box Discard / / days after opening. Date opened / /	<b>WARN 8</b> 1000 per box Avoid excessive skin exposure to sunlight and sunlamps while being treated with this medicine.
<b>WARN 9</b> 1000 per box <b>DO NOT STOP TAKING THIS MEDICINE ABRUPTLY</b> unless otherwise advised by your doctor.	<b>WARN 10a</b> 1000 per box Do not take more than one aspirin tablet or capsule each day while being treated with this medicine.	<b>WARN 10b</b> 1000 per box <b>DO NOT TAKE ASPIRIN OR ANTI-INFLAMMATORY MEDICINES</b> while being treated with this medicine unless advised by your doctor.	<b>WARN 11</b> 1000 per box <b>DO NOT TAKE POTASSIUM</b> while being treated with this medicine unless advised by your doctor.	<b>WARN 12</b> 1000 per box This medicine may affect mental alertness and/or coordination. If affected, do not drive a motor vehicle or operate machinery.	<b>WARN 13</b> 1000 per box Ask your pharmacist about the storage conditions for this medicine.
<b>WARN 14</b> 1000 per box <b>RINSE MOUTH</b> with water after each use.	<b>WARN 15a</b> 1000 per box This medicine replaces / / Do not use both.	<b>WARN 15b</b> 1000 per box Active ingredient: / / This medicine replaces: / / <b>DO NOT USE BOTH</b>	<b>WARN 16</b> 1000 per box This medicine may cause dizziness especially when you stand up quickly. Ask your doctor or pharmacist for advice.	<b>WARN 18</b> 1000 per box Certain foods and fruit juices should be avoided while being treated with this medicine.	<b>WARN 19a</b> 1000 per box Contains PARACETAMOL. Consult your doctor or pharmacist before taking other paracetamol products.
<b>WARN 19b</b> 1000 per box Consult your doctor or pharmacist before taking other medicines for pain or inflammation.	<b>WARN 20</b> 1000 per box Take once weekly on the same day.	<b>WARN 21</b> 1000 per box Special handling and disposal required — ask your pharmacist.	<b>WARN 22</b> 1000 per box Use only with approved or recommended device.	<b>WARN 23</b> 1000 per box This product has been compounded by the pharmacist.	<b>WARN 24</b> 1000 per box Use of this medicine has the risks of <b>overdose and dependence</b>
<b>WARN A</b> 1000 per box <b>SWALLOW WHOLE</b> Do not crush or chew	<b>WARN B</b> 1000 per box <b>TAKE WITH OR SOON AFTER FOOD</b>	<b>WARN C</b> 1000 per box <b>TAKE AT LEAST HALF AN HOUR BEFORE FOOD</b>	<b>WARN E</b> 1000 per box <b>CONTINUE FOR 14 DAYS AFTER SYMPTOMS CEASE</b>	<b>WARN F</b> 1000 per box <b>TAKE IMMEDIATELY BEFORE FOOD</b>	<b>WARN G</b> 1000 per box <b>TAKE IN THE MORNING</b> drink plenty of water
<b>WARN H</b> 1000 per box <b>STORE FROZEN</b>	<b>WARN J</b> 1000 per box <b>SHAKE WELL BEFORE EACH USE</b>	<b>WARN K</b> 1000 per box <b>FOR EXTERNAL USE ONLY</b>	<b>WARN L</b> 1000 per box <b>CAUTION NOT TO BE TAKEN</b>	<b>WARN M</b> 1000 per box <b>ALLOW THIS MEDICINE TO DISSOLVE IN YOUR MOUTH</b>	<b>WARN N</b> 1000 per box <b>CONTAINS PEANUT OIL</b>

## ADDITIONAL ADVISORY LABELS

<b>WARN 61</b> 1000 per box <b>KEEP OUT OF THE REACH OF CHILDREN</b>	<b>WARN 62</b> 1000 per box <b>LAST REPEAT</b> FOR FURTHER REPEATS A NEW PRESCRIPTION IS NECESSARY	<b>WARN 62a</b> 1000 per box <b>LAST REPEAT</b>	<b>WARN 67</b> 1000 per box <b>DELIVER</b>	<b>WARN 70</b> 1000 per box <i>The Mixture</i> SHAKE THE BOTTLE	<b>WARN 71</b> 1000 per box <b>Shake the Bottle</b>
<b>WARN 72</b> 1000 per box <b>CAUTION NOT TO BE SWALLOWED</b>	<b>WARN 86</b> 1000 per box DO NOT TAKE THIS MEDICINE IF ALLERGIC TO PENICILLIN	<b>WARN 88</b> 1000 per box TO BE TAKEN UNTIL ALL USED	<b>WARN 89</b> 1000 per box PHARMACIST WISHES TO SPEAK TO YOU	<b>WARN 90</b> 1000 per box <b>SHAKE WELL</b>	<b>WARN 92</b> 1000 per box <b>WARNING</b> MAY CAUSE DEATH OR SERIOUS INJURY IF TAKEN BY ANOTHER PERSON.
<b>WARN 93</b> 1000 per box <b>CAUTION CYTOTOXIC DRUG HANDLE WITH CARE</b>	<b>WARN 95</b> 1000 per box <b>PACK 1</b> USE THIS PACK FIRST	<b>WARN 96</b> 1000 per box <b>PACK 2</b> DO NOT USE THIS PACK UNTIL PACK 1 IS FINISHED	<b>WARN 98</b> 1000 per box <b>CYTOTOXIC</b>	<b>WARN 99</b> 250 per box <b>CYTOTOXIC</b> HANDLE WITH CARE	<b>WARN 99</b> 1000 per box THIS MEDICINE MAY DECREASE THE EFFECTIVENESS OF ORAL CONTRACEPTIVES. CONSULT YOUR DOCTOR OR PHARMACIST.
<b>WARN 100</b> 1000 per box A LOWER PRICED BRAND OF YOUR MEDICINE IS AVAILABLE PLEASE CONSULT YOUR DOCTOR OR PHARMACIST	<b>WARN 102</b> 1000 per box PLEASE GIVE 48 HOURS NOTICE BEFORE NEXT SUPPLY.	<b>WARN 104</b> 1000 per box <b>DO NOT USE IF PREGNANT</b>	<b>WARN 108</b> 1000 per box PRESCRIPTION OWING FOR THIS ITEM	<b>WARN 109</b> 250 per box Please return empty inhaler to pharmacy for safe disposal	<b>WARN 112</b> 1000 per box OUR PHARMACIST RECOMMENDS A PROBIOTIC WITH THIS MEDICATION
<b>WARN 126</b> 1000 per box THIS PREPARATION IS AN ANTIBIOTIC. THE ENTIRE COURSE SHOULD BE COMPLETED.	<b>WARN 127</b> 1000 per box <b>SHAKE WELL AND KEEP IN REFRIGERATOR</b>	<b>WARN 130</b> 1000 per box <b>INHALE SLOW and STEADY</b>	<b>WARN 131</b> 1000 per box <b>INHALE QUICK and DEEP</b>	<b>WARN 135</b> 1000 per box Please return unwanted medicine to pharmacy for safe disposal	<b>WARN 136</b> 1000 per box Please return unwanted medicine to pharmacy for safe disposal
<b>WARN 140</b> 1000 per box A list of inactive ingredients is available from your pharmacist upon request	<b>WARN 142</b> 1000 per box Risk of serious harm or death with intravenous administration. Never to be handled by patients. Access restricted to pharmacists and clinicians only.	<b>WARN 144</b> 1000 per box <b>DO NOT inject</b> may cause death or serious injury if injected or taken by another person	<b>WARN 200</b> 500 per box <b>POISON! Not to be taken</b>	<b>WARN 202</b> 500 per box <b>FOR EXTERNAL USE ONLY</b>	<b>WARN 203</b> 500 per box <b>SHAKE THE BOTTLE</b>
<b>WARN 205</b> 500 per box <b>CHILDREN'S PRESCRIPTION</b> SHAKE THE BOTTLE	<b>WARN 206</b> 500 per box <b>a friendly reminder</b> YOUR ACCOUNT IS OVERDUE				

## ALTERNATIVE MEDICINE LABELS

<b>CAN301</b> 1000 per box This medication may cause <b>DROWSINESS</b> and may increase the effects of alcohol. If using Medicinal Cannabis products containing THC, do not drive a motor vehicle or operate machinery.	<b>CAN301A</b> 1000 per box This medication may cause <b>DROWSINESS</b> and may increase the effects of alcohol. If using Medicinal Cannabis products containing CBD, do not drive a motor vehicle or operate machinery.	<b>CAN302</b> 1000 per box <b>TAKE BY VAPORISER</b>	<b>CAN303</b> 1000 per box <b>CHANGE OF DOSE</b>
<b>CAN304</b> 1000 per box Store in a cool dry place out of sunlight.	<b>CAN305</b> 1000 per box <b>DO NOT VAPE.</b> To be taken orally or sublingually (under the tongue).	<b>CAN306</b> 1000 per box Take doses <b>6 to 8 hours apart</b>	<b>CAN307</b> 1000 per box May take <b>1 to 1.5 hrs to take effect</b>
<b>CAN308</b> 1000 per box May take <b>2 to 3 mins to take effect</b>	<b>CAN309</b> 1000 per box <b>DO NOT VAPE</b> Inhaling this preparation may be harmful.	<b>CAN311</b> 1000 per box <b>LAST REPEAT</b>	<b>CAN312</b> 1000 per box <b>DO NOT REFRIGERATE</b>
<b>CAN313</b> 1000 per box USE WITH A TGA APPROVED VAPORISING DEVICE	<b>CAN320</b> 1000 per box <b>DAY TIME USE</b>	<b>CAN321</b> 1000 per box <b>NIGHT TIME USE</b>	<b>CAN325</b> 1000 per box Dose Taken / Initial Dose Remaining /

**HC0000**  
Small Label Holder  
195mm x 107mm x 101mm

**HC0001**  
Large Label Holder  
297mm x 107mm x 101mm

TO PLACE YOUR ORDER CALL (03) 9264 8988

E| saleshc@stirlingfildes.com.au W| www.stirlingfildeshc.com.au